

### 1 Identification of the substance/preparation and of the company/undertaking

- **Product details**
- **Trade name:** butyl acrylate
- **Trader/Supplier:** Sahastraa exports Pvt Ltd
- **Address :** Navkar plaza 6<sup>m</sup> floor, Bajaj road, vile Parle west , Mumbai- 400056

### 2 Composition/information on ingredients

- **Chemical characterization:**
- **CAS No. Description**  
141-32-2 n-butyl acrylate
- **Identification number(s)**
- **EINECS Number:** 205-480-7
- **Index number:** 607-062-00-3

### 3 Hazards identification

- **Hazard description:**



Xi Irritant

- **Information concerning particular hazards for human and environment:**  
R 10 Flammable.  
R 36/37/38 Irritating to eyes, respiratory system and skin.  
R 43 May cause sensitisation by skin contact.

### 4 First aid measures

- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.

### 5 Fire-fighting measures

- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet

(Contd. on page 2)

- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.
- **Measures for environmental protection:** Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**
  - Dilute with plenty of water.
  - Ensure adequate ventilation.

## 7 Handling and storage

- **Handling:**
  - **Information for safe handling:** No special requirement
  - **Information about fire - and explosion protection:**
    - Keep ignition sources away - Do not smoke.
    - Protect against electrostatic charges.
- **Storage:**
  - **Requirements to be met by storerooms and receptacles:** No special requirements.
  - **Information about storage in one common storage facility:** Not required.
  - **Further information about storage conditions:** Keep container tightly sealed.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:**

### 141-32-2 n-butyl acrylate

REL (USA)	55 mg/m <sup>3</sup> , 10 ppm
TLV (USA)	11 mg/m <sup>3</sup> , 2 ppm
	SEN
IOELV (EU)	Short-term value: 53 mg/m <sup>3</sup> , 10 ppm Long-term value: 11 mg/m <sup>3</sup> , 2 ppm
WEL (Great Britain)	Short-term value: 26 mg/m <sup>3</sup> , 5 ppm Long-term value: 5 mg/m <sup>3</sup> , 1 ppm

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
  - **General protective and hygienic measures:**
    - Keep away from foodstuffs, beverages and feed.
    - Immediately remove all soiled and contaminated clothing
    - Wash hands before breaks and at the end of work.
    - Avoid contact with the eyes and skin.
  - **Respiratory protection:**
    - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
  - **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· **General Information**

<b>Form:</b>	Fluid
<b>Colour:</b>	Colourless
<b>Odour:</b>	Fruit-like

· **Change in condition**

**Melting point/Melting range:** -64.6°C

**Boiling point/Boiling range:** 145°C

· **Flash point:** 37°C

· **Ignition temperature:** 275°C

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

**Lower:** 1.2 Vol %

**Upper:** 8 Vol %

· **Vapour pressure at 20°C:** 5.3 hPa

· **Density at 20°C:** 0.8898 g/cm<sup>3</sup>

· **Solubility in / Miscibility with water at 20°C:** 1.4 g/l

## 10 Stability and reactivity

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Dangerous reactions** No dangerous reactions known.

· **Dangerous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

Oral	LD50	900 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)

- **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.

## 12 Ecological information

- **General notes:**

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## 13 Disposal considerations

- **Product:**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- **Land transport ADR/RID (cross-border)**



- **ADR/RID class:** 3 Flammable liquids.
- **Danger code (Kemler):** 39
- **UN-Number:** 2348
- **Packaging group:** III
- **Hazard label:** 3
- **Description of goods:** 2348 BUTYL ACRYLATES, STABILIZED

- **Maritime transport IMDG:**



- **IMDG Class:** 3
- **UN Number:** 2348
- **Label:** 3
- **Packaging group:** III

- **EMS Number:** F-E,S-D
- **Marine pollutant:** No
- **Proper shipping name:** BUTYL ACRYLATES, STABILIZED

- **Air transport ICAO-TI and IATA-DGR:**



- **ICAO/IATA Class:** 3
- **UN/ID Number:** 2348
- **Label:** 3
- **Packaging group:** III
- **Proper shipping name:** BUTYL ACRYLATES, STABILIZED

### 15 Regulatory information

- **Labelling according to EU guidelines:**  
*The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.*

- **Code letter and hazard designation of product:**



*Xi Irritant*

- **Risk phrases:**  
10 *Flammable.*  
36/37/38 *Irritating to eyes, respiratory system and skin.*  
43 *May cause sensitisation by skin contact.*
- **Safety phrases:**  
2 *Keep out of the reach of children.*  
9 *Keep container in a well-ventilated place.*

END OF MSDS

